

756036_Commander EDD

SampID	TopDepth	BottomDepth	SampDate	Matrix	Method	Analyte	CAS	Result	Qual	units	MDL	DF	SQL	MQL	LabiD	PrepDate	AnalDate
SC-Sed-31-1/2/3			6/12/13 1:42 PM	Solid	EPA 6010	Arsenic	7440-38-2	19.2		mg/kg	0.10	1	0.12	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 4:54 PM
SC-Sed-31-1/2/3			6/12/13 1:42 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.38		mg/kg	0.020	1	0.025	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 4:54 PM
SC-Sed-31-1/2/3			6/12/13 1:42 PM	Solid	EPA 6010	Lead	7439-92-1	12.7		mg/kg	0.050	1	0.062	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 4:54 PM
SC-Sed-31-1/2/3			6/12/13 1:42 PM	Solid	ASTM D2974-87	Percent Moisture		22.9		%		1	0.50		Dallas Lab		6/19/13 12:55 PM
SC-Sed-31-1/2/3			6/12/13 1:42 PM	Solid	EPA 9060M	Total Organic	7440-44-0	33.0		mg/kg	2.5	1	3.3	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 11:31 AM
SC-Sed-32-1/2/3			6/12/13 2:13 PM	Solid	EPA 6010	Arsenic	7440-38-2	19.3		mg/kg	0.10	1	0.12	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:00 PM
SC-Sed-32-1/2/3			6/12/13 2:13 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.64		mg/kg	0.020	1	0.023	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:00 PM
SC-Sed-32-1/2/3			6/12/13 2:13 PM	Solid	EPA 6010	Lead	7439-92-1	12.3		mg/kg	0.050	1	0.059	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:00 PM
SC-Sed-32-1/2/3			6/12/13 2:13 PM	Solid	ASTM D2974-87	Percent Moisture		14.7		%		1	0.50		Dallas Lab		6/19/13 12:55 PM
SC-Sed-32-1/2/3			6/12/13 2:13 PM	Solid	EPA 9060M	Total Organic	7440-44-0	18.7		mg/kg	2.5	1	3.0	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 1:33 PM
SC-Sed-33-1/2/3			6/12/13 2:44 PM	Solid	EPA 6010	Arsenic	7440-38-2	18.5		mg/kg	0.10	1	0.12	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:06 PM
SC-Sed-33-1/2/3			6/12/13 2:44 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.42		mg/kg	0.020	1	0.025	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:06 PM
SC-Sed-33-1/2/3			6/12/13 2:44 PM	Solid	EPA 6010	Lead	7439-92-1	14.6		mg/kg	0.050	1	0.062	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:06 PM
SC-Sed-33-1/2/3			6/12/13 2:44 PM	Solid	ASTM D2974-87	Percent Moisture		19.3		%		1	0.50		Dallas Lab		6/19/13 12:55 PM
SC-Sed-33-1/2/3			6/12/13 2:44 PM	Solid	EPA 9060M	Total Organic	7440-44-0	34.3		mg/kg	2.5	1	3.2	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 2:08 PM
SC-Sed-34-1/2/3			6/12/13 3:12 PM	Solid	EPA 6010	Arsenic	7440-38-2	16.0		mg/kg	0.10	1	0.13	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:11 PM
SC-Sed-34-1/2/3			6/12/13 3:12 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.67		mg/kg	0.020	1	0.025	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:11 PM
SC-Sed-34-1/2/3			6/12/13 3:12 PM	Solid	EPA 6010	Lead	7439-92-1	14.3		mg/kg	0.050	1	0.063	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:11 PM
SC-Sed-34-1/2/3			6/12/13 3:12 PM	Solid	ASTM D2974-87	Percent Moisture		17.6		%		1	0.50		Dallas Lab		6/19/13 12:56 PM
SC-Sed-34-1/2/3			6/12/13 3:12 PM	Solid	EPA 9060M	Total Organic	7440-44-0	20.1		mg/kg	2.5	1	3.1	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 2:41 PM
SC-Sed-35-1/2/3			6/12/13 4:02 PM	Solid	EPA 6010	Arsenic	7440-38-2	17.8		mg/kg	0.10	1	0.13	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:17 PM
SC-Sed-35-1/2/3			6/12/13 4:02 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.45		mg/kg	0.020	1	0.025	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:17 PM
SC-Sed-35-1/2/3			6/12/13 4:02 PM	Solid	EPA 6010	Lead	7439-92-1	13.0		mg/kg	0.050	1	0.063	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:17 PM
SC-Sed-35-1/2/3			6/12/13 4:02 PM	Solid	ASTM D2974-87	Percent Moisture		22.0		%		1	0.50		Dallas Lab		6/19/13 12:56 PM
SC-Sed-35-1/2/3			6/12/13 4:02 PM	Solid	EPA 9060M	Total Organic	7440-44-0	21.9		mg/kg	2.5	1	3.2	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 3:15 PM
SC-Sed-36-1/2/3			6/12/13 4:28 PM	Solid	EPA 6010	Arsenic	7440-38-2	17.7		mg/kg	0.10	1	0.12	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:22 PM
SC-Sed-36-1/2/3			6/12/13 4:28 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.61		mg/kg	0.020	1	0.024	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:22 PM
SC-Sed-36-1/2/3			6/12/13 4:28 PM	Solid	EPA 6010	Lead	7439-92-1	11.5		mg/kg	0.050	1	0.061	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:22 PM
SC-Sed-36-1/2/3			6/12/13 4:28 PM	Solid	ASTM D2974-87	Percent Moisture		15.8		%		1	0.50		Dallas Lab		6/19/13 12:56 PM
SC-Sed-36-1/2/3			6/12/13 4:28 PM	Solid	EPA 9060M	Total Organic	7440-44-0	62.8		mg/kg	2.5	1	4.1	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 3:50 PM
SC-Sed-37-1/2/3			6/12/13 5:56 PM	Solid	EPA 6010	Arsenic	7440-38-2	16.2		mg/kg	0.10	1	0.13	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:44 PM
SC-Sed-37-1/2/3			6/12/13 5:56 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.57		mg/kg	0.020	1	0.025	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:44 PM
SC-Sed-37-1/2/3			6/12/13 5:56 PM	Solid	EPA 6010	Lead	7439-92-1	12.1		mg/kg	0.050	1	0.064	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:44 PM
SC-Sed-37-1/2/3			6/12/13 5:56 PM	Solid	ASTM D2974-87	Percent Moisture		19.9		%		1	0.50		Dallas Lab		6/19/13 12:56 PM
SC-Sed-37-1/2/3			6/12/13 5:56 PM	Solid	EPA 9060M	Total Organic	7440-44-0	28.6		mg/kg	2.5	1	3.2	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 5:00 PM
SC-Sed-38-1/2/3			6/12/13 6:14 PM	Solid	EPA 6010	Arsenic	7440-38-2	12.7		mg/kg	0.10	1	0.13	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:50 PM
SC-Sed-38-1/2/3			6/12/13 6:14 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.33		mg/kg	0.020	1	0.026	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:50 PM
SC-Sed-38-1/2/3			6/12/13 6:14 PM	Solid	EPA 6010	Lead	7439-92-1	9.7		mg/kg	0.050	1	0.066	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:50 PM
SC-Sed-38-1/2/3			6/12/13 6:14 PM	Solid	ASTM D2974-87	Percent Moisture		23.0		%		1	0.50		Dallas Lab		6/19/13 12:56 PM
SC-Sed-38-1/2/3			6/12/13 6:14 PM	Solid	EPA 9060M	Total Organic	7440-44-0	25.8		mg/kg	2.5	1	3.3	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 5:34 PM
SC-Sed-39-1/2/3			6/12/13 6:35 PM	Solid	EPA 6010	Arsenic	7440-38-2	11.6		mg/kg	0.10	1	0.13	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:56 PM
SC-Sed-39-1/2/3			6/12/13 6:35 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.47		mg/kg	0.020	1	0.025	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:56 PM
SC-Sed-39-1/2/3			6/12/13 6:35 PM	Solid	EPA 6010	Lead	7439-92-1	10.6		mg/kg	0.050	1	0.064	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 5:56 PM
SC-Sed-39-1/2/3			6/12/13 6:35 PM	Solid	ASTM D2974-87	Percent Moisture		20.5		%		1	0.50		Dallas Lab		6/19/13 12:56 PM
SC-Sed-39-1/2/3			6/12/13 6:35 PM	Solid	EPA 9060M	Total Organic	7440-44-0	51.1		mg/kg	2.5	1	3.2	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 6:09 PM
SC-Sed-40-1/2/3			6/12/13 6:54 PM	Solid	EPA 6010	Arsenic	7440-38-2	7.0		mg/kg	0.10	1	0.14	0.25	Dallas Lab	6/18/13 5:33 PM	6/19/13 6:01 PM
SC-Sed-40-1/2/3			6/12/13 6:54 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.16		mg/kg	0.020	1	0.029	0.10	Dallas Lab	6/18/13 5:33 PM	6/19/13 6:01 PM
SC-Sed-40-1/2/3			6/12/13 6:54 PM	Solid	EPA 6010	Lead	7439-92-1	12.9		mg/kg	0.050	1	0.072	0.20	Dallas Lab	6/18/13 5:33 PM	6/19/13 6:01 PM
SC-Sed-40-1/2/3			6/12/13 6:54 PM	Solid	ASTM D2974-87	Percent Moisture		29.2		%		1	0.50		Dallas Lab		6/19/13 12:57 PM
SC-Sed-40-1/2/3			6/12/13 6:54 PM	Solid	EPA 9060M	Total Organic	7440-44-0	38.4		mg/kg	2.5	1	3.7	5.0	Dallas Lab	6/21/13 12:14 PM	6/24/13 6:44 PM