

756325_Commander EDD

SampID	TopDepth	BottomDepth	SampDate	Matrix	Method	Analyte	CAS	Result	Qual	units	MDL	DF	SQL	MQL	LabiD	PrepDate	AnalDate
Chip (6-24)-3	3	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Arsenic	7440-38-2	3.3		mg/kg	0.10	1	0.095	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:37 PM
Chip (6-24)-3	3	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Cadmium	7440-43-9	0.29		mg/kg	0.020	1	0.019	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:37 PM
Chip (6-24)-3	3	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Lead	7439-92-1	27.0		mg/kg	0.050	1	0.048	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:37 PM
Chip (6-24)-3	3	6-24)-3	6/24/13 11:40 AM	Solid	ASTM D2974-87	Percent Moisture		2.0		%		1	0.50		Dallas Lab		6/26/13 8:28 AM
Chip (6-24)-3 Base	3 Base Comp	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Arsenic	7440-38-2	9.2		mg/kg	0.10	1	0.11	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:51 PM
Chip (6-24)-3 Base	3 Base Comp	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Cadmium	7440-43-9	1.1		mg/kg	0.020	1	0.022	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:51 PM
Chip (6-24)-3 Base	3 Base Comp	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Lead	7439-92-1	27.7		mg/kg	0.050	1	0.055	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:51 PM
Chip (6-24)-3 Base	3 Base Comp	6-24)-3	6/24/13 11:40 AM	Solid	ASTM D2974-87	Percent Moisture		7.0		%		1	0.50		Dallas Lab		6/26/13 8:28 AM
Chip (6-24)-3 Comp	3 Comp	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Arsenic	7440-38-2	11.5		mg/kg	0.10	1	0.11	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:44 PM
Chip (6-24)-3 Comp	3 Comp	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Cadmium	7440-43-9	1.4		mg/kg	0.020	1	0.023	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:44 PM
Chip (6-24)-3 Comp	3 Comp	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Lead	7439-92-1	32.6		mg/kg	0.050	1	0.056	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:44 PM
Chip (6-24)-3 Comp	3 Comp	6-24)-3	6/24/13 11:40 AM	Solid	ASTM D2974-87	Percent Moisture		9.5		%		1	0.50		Dallas Lab		6/26/13 8:28 AM
Chip (6-24)-3 SED	3 SED	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Arsenic	7440-38-2	10.4		mg/kg	0.10	1	0.14	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:21 PM
Chip (6-24)-3 SED	3 SED	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Cadmium	7440-43-9	0.79		mg/kg	0.020	1	0.028	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:21 PM
Chip (6-24)-3 SED	3 SED	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Lead	7439-92-1	39.3		mg/kg	0.050	1	0.069	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:21 PM
Chip (6-24)-3 SED	3 SED	6-24)-3	6/24/13 11:40 AM	Solid	ASTM D2974-87	Percent Moisture		24.3		%		1	0.50		Dallas Lab		6/26/13 8:30 AM
Chip (6-24)-3 Wall	3 Wall Base	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Arsenic	7440-38-2	8.1		mg/kg	0.10	1	0.12	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:58 PM
Chip (6-24)-3 Wall	3 Wall Base	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Cadmium	7440-43-9	1.0		mg/kg	0.020	1	0.023	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:58 PM
Chip (6-24)-3 Wall	3 Wall Base	6-24)-3	6/24/13 11:40 AM	Solid	EPA 6010	Lead	7439-92-1	15.7		mg/kg	0.050	1	0.059	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 6:58 PM
Chip (6-24)-3 Wall	3 Wall Base	6-24)-3	6/24/13 11:40 AM	Solid	ASTM D2974-87	Percent Moisture		14.6		%		1	0.50		Dallas Lab		6/26/13 8:29 AM
Chip (6-24)-4	4	6-24)-4	6/24/13 2:10 PM	Solid	EPA 6010	Arsenic	7440-38-2	3.8		mg/kg	0.10	1	0.10	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:41 PM
Chip (6-24)-4	4	6-24)-4	6/24/13 2:10 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.077J	J	mg/kg	0.020	1	0.020	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:41 PM
Chip (6-24)-4	4	6-24)-4	6/24/13 2:10 PM	Solid	EPA 6010	Lead	7439-92-1	62.1		mg/kg	0.050	1	0.050	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:41 PM
Chip (6-24)-4	4	6-24)-4	6/24/13 2:10 PM	Solid	ASTM D2974-87	Percent Moisture		3.7		%		1	0.50		Dallas Lab		6/26/13 8:33 AM
Chip (6-24)-4 Base	4 Base Comp	6-24)-4	6/24/13 2:10 PM	Solid	EPA 6010	Arsenic	7440-38-2	9.2		mg/kg	0.10	1	0.13	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:48 PM
Chip (6-24)-4 Base	4 Base Comp	6-24)-4	6/24/13 2:10 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.63		mg/kg	0.020	1	0.027	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:48 PM
Chip (6-24)-4 Base	4 Base Comp	6-24)-4	6/24/13 2:10 PM	Solid	EPA 6010	Lead	7439-92-1	15.3		mg/kg	0.050	1	0.067	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:48 PM
Chip (6-24)-4 Base	4 Base Comp	6-24)-4	6/24/13 2:10 PM	Solid	ASTM D2974-87	Percent Moisture		25.8		%		1	0.50		Dallas Lab		6/26/13 8:33 AM
Chip (6-24)-5	5	6-24)-5	6/24/13 3:50 PM	Solid	EPA 6010	Arsenic	7440-38-2	5.4		mg/kg	0.10	1	0.11	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:55 PM
Chip (6-24)-5	5	6-24)-5	6/24/13 3:50 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.088J	J	mg/kg	0.020	1	0.022	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:55 PM
Chip (6-24)-5	5	6-24)-5	6/24/13 3:50 PM	Solid	EPA 6010	Lead	7439-92-1	15.4		mg/kg	0.050	1	0.055	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:55 PM
Chip (6-24)-5	5	6-24)-5	6/24/13 3:50 PM	Solid	ASTM D2974-87	Percent Moisture		8.1		%		1	0.50		Dallas Lab		6/26/13 8:34 AM
Chip (6-24)-5 Base	5 Base Comp	6-24)-5	6/24/13 3:50 PM	Solid	EPA 6010	Arsenic	7440-38-2	8.9		mg/kg	0.10	1	0.14	0.25	Dallas Lab	6/27/13 5:44 AM	6/27/13 8:44 PM
Chip (6-24)-5 Base	5 Base Comp	6-24)-5	6/24/13 3:50 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.63		mg/kg	0.020	1	0.028	0.10	Dallas Lab	6/27/13 5:44 AM	6/27/13 8:44 PM
Chip (6-24)-5 Base	5 Base Comp	6-24)-5	6/24/13 3:50 PM	Solid	EPA 6010	Lead	7439-92-1	76.7		mg/kg	0.050	1	0.070	0.20	Dallas Lab	6/27/13 5:44 AM	6/27/13 8:44 PM
Chip (6-24)-5 Base	5 Base Comp	6-24)-5	6/24/13 3:50 PM	Solid	ASTM D2974-87	Percent Moisture		26.8		%		1	0.50		Dallas Lab		6/26/13 8:34 AM
PS (6-24)-3	3	6-24)	6/24/13 12:20 PM	Solid	EPA 6010	Arsenic	7440-38-2	3.0		mg/kg	0.10	1	0.10	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:28 PM
PS (6-24)-3	3	6-24)	6/24/13 12:20 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.17J	J	mg/kg	0.020	2	0.042	0.10	Dallas Lab	6/27/13 5:46 AM	7/1/13 8:29 PM
PS (6-24)-3	3	6-24)	6/24/13 12:20 PM	Solid	EPA 6010	Lead	7439-92-1	4.4		mg/kg	0.050	1	0.052	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:28 PM
PS (6-24)-3	3	6-24)	6/24/13 12:20 PM	Solid	ASTM D2974-87	Percent Moisture		0.63		%		1	0.50		Dallas Lab		6/26/13 8:32 AM
PS (6-24)-3 Base	3 Base Comp	6-24)	6/24/13 12:20 PM	Solid	EPA 6010	Arsenic	7440-38-2	11.8		mg/kg	0.10	1	0.098	0.25	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:34 PM
PS (6-24)-3 Base	3 Base Comp	6-24)	6/24/13 12:20 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.82		mg/kg	0.020	1	0.020	0.10	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:34 PM
PS (6-24)-3 Base	3 Base Comp	6-24)	6/24/13 12:20 PM	Solid	EPA 6010	Lead	7439-92-1	13.6		mg/kg	0.050	1	0.049	0.20	Dallas Lab	6/27/13 5:46 AM	6/27/13 7:34 PM
PS (6-24)-3 Base	3 Base Comp	6-24)	6/24/13 12:20 PM	Solid	ASTM D2974-87	Percent Moisture		3.2		%		1	0.50		Dallas Lab		6/26/13 8:33 AM
Slag (6-24)-1	1	6-24)-1	6/24/13 4:25 PM	Solid	EPA 6010	Arsenic	7440-38-2	118		mg/kg	0.10	1	0.097	0.25	Dallas Lab	6/27/13 5:44 AM	6/27/13 8:51 PM
Slag (6-24)-1	1	6-24)-1	6/24/13 4:25 PM	Solid	EPA 6010	Cadmium	7440-43-9	ND	U	mg/kg	0.020	1	0.019	0.10	Dallas Lab	6/27/13 5:44 AM	6/27/13 8:51 PM
Slag (6-24)-1	1	6-24)-1	6/24/13 4:25 PM	Solid	EPA 6010	Lead	7439-92-1	35200		mg/kg	0.050	100	4.8	0.20	Dallas Lab	6/27/13 5:44 AM	7/1/13 11:28 AM
Slag (6-24)-1	1	6-24)-1	6/24/13 4:25 PM	Solid	ASTM D2974-87	Percent Moisture		ND	U	%		1	0.50		Dallas Lab		6/26/13 8:35 AM
Slag (6-24)-1 Base	1 Base	6-24)-1	6/24/13 4:25 PM	Solid	EPA 6010	Arsenic	7440-38-2	16.4		mg/kg	0.10	1	0.13	0.25	Dallas Lab	6/27/13 5:44 AM	6/27/13 8:58 PM
Slag (6-24)-1 Base	1 Base	6-24)-1	6/24/13 4:25 PM	Solid	EPA 6010	Cadmium	7440-43-9	0.56		mg/kg	0.020	1	0.025	0.10	Dallas Lab	6/27/13 5:44 AM	6/27/13 8:58 PM
Slag (6-24)-1 Base	1 Base	6-24)-1	6/24/13 4:25 PM	Solid	EPA 6010	Lead	7439-92-1	17.8		mg/kg	0.050	1	0.063	0.20	Dallas Lab	6/27/13 5:44 AM	6/27/13 8:58 PM
Slag (6-24)-1 Base	1 Base	6-24)-1	6/24/13 4:25 PM	Solid	ASTM D2974-87	Percent Moisture		18.0		%		1	0.50		Dallas Lab		6/26/13 11:35 AM
Slag (6-24)-2	2	6-24)-2	6/24/13 4:40 PM	Solid	EPA 6010	Arsenic	7440-38-2	38.7		mg/kg	0.10	2	0.20	0.25	Dallas Lab	6/27/13 5:44 AM	6/30/13 2:49 PM
Slag (6-24)-2	2	6-24)-2	6/24/13 4:40 PM	Solid	EPA 6010	Cadmium	7440-43-9	1.9		mg/kg	0.020	2	0.040	0.10	Dallas Lab	6/27/13 5:44 AM	6/30/13 2:49 PM
Slag (6-24)-2	2	6-24)-2	6/24/13 4:40 PM	Solid	EPA 6010	Lead	7439-92-1	20600		mg/kg	0.050	100	5.0	0.20	Dallas Lab	6/27/13 5:44 AM	7/1/13 11:33 AM
Slag (6-24)-2	2	6-24)-2	6/24/13 4:40 PM	Solid	ASTM D2974-87	Percent Moisture		4.3		%		1	0.50		Dallas Lab		6/26/13 11:36 AM
Slag (6-24)-2 Base	2 Base	6-24)-2	6/24/13 4:40 PM	Solid	EPA 6010	Arsenic	7440-38-2	279		mg/kg	0.10	1	0.10	0.25	Dallas Lab	6/27/13 5:44 AM	6/27/13 9:12 PM
Slag (6-24)-2 Base	2 Base	6-24)-2	6/24/13 4:40 PM	Solid	EPA 6010	Cadmium	7440-43-9	ND	U	mg/kg	0.020	2	0.040	0.10	Dallas Lab	6/27/13 5:44 AM	6/30/13 2:55 PM
Slag (6-24)-2 Base	2 Base	6-24)-2	6/24/13 4:40 PM	Solid	EPA 6010	Lead	7439-92-1	459		mg/kg	0.050	2	0.10	0.20	Dallas Lab	6/27/13 5:44 AM	7/1/13 11:39 AM
Slag (6-24)-2 Base	2 Base	6-24)-2	6/24/13 4:40 PM	Solid	ASTM D2974-87	Percent Moisture		ND	U	%		1	0.50		Dallas Lab		6/26/13 11:48 AM