



Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

July 02, 2013

Rusty Simpson  
Southwest Geoscience  
2351 W. Northwest Hwy  
Suite 3321  
Dallas, TX 75220

RE: Pace Project 756325  
Project ID: 0111C278A/Stewart Creek

Dear Rusty Simpson:

Enclosed are the analytical results for sample(s) received by the laboratory on June 25, 2013. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelly Connelly".

Shelly Connelly  
shelly.connelly@pacelabs.com

**Laboratory Certifications**

Pace Dallas : Texas Certification #: T104704232-12-4



**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

07/02/2013 18:10:52



# Sample Cross Reference

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

**Pace Project No.:** 756325

**Client:** Southwest Geoscience  
**Project ID:** 0111C278A/Stewart Creek

Client Sample ID	Lab ID	Matrix	Collection Date/Time	Received Date/Time
Chip (6-24)-3	756325001	Solid	06/24/2013 11:40	06/25/2013 08:55
Chip (6-24)-3 Comp	756325002	Solid	06/24/2013 11:40	06/25/2013 08:55
Chip (6-24)-3 Base Comp	756325003	Solid	06/24/2013 11:40	06/25/2013 08:55
Chip (6-24)-3 Wall Base	756325004	Solid	06/24/2013 11:40	06/25/2013 08:55
Chip (6-24)-3 SED	756325005	Solid	06/24/2013 11:40	06/25/2013 08:55
PS (6-24)-3	756325006	Solid	06/24/2013 12:20	06/25/2013 08:55
PS (6-24)-3 Base Comp	756325007	Solid	06/24/2013 12:20	06/25/2013 08:55
Chip (6-24)-4	756325008	Solid	06/24/2013 14:10	06/25/2013 08:55
Chip (6-24)-4 Base Comp	756325009	Solid	06/24/2013 14:10	06/25/2013 08:55
Chip (6-24)-5	756325010	Solid	06/24/2013 15:50	06/25/2013 08:55
Chip (6-24)-5 Base Comp	756325011	Solid	06/24/2013 15:50	06/25/2013 08:55
Slag (6-24)-1	756325012	Solid	06/24/2013 16:25	06/25/2013 08:55
Slag (6-24)-1 Base	756325013	Solid	06/24/2013 16:25	06/25/2013 08:55
Slag (6-24)-2	756325014	Solid	06/24/2013 16:40	06/25/2013 08:55
Slag (6-24)-2 Base	756325015	Solid	06/24/2013 16:40	06/25/2013 08:55



## Project Narrative

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

---

**Pace Project No.:** 756325

---

**Holding Times:**

All holding times were met.

**Blanks:**

All blank results were below reporting limits.

**Laboratory Control Samples:**

All LCS recoveries were within QC limits.

**Matrix Spikes and Duplicates:**

MS or MSD recoveries outside of QC limits are qualified in the Report of Quality Control section.

**Surrogate:**

All surrogate recoveries were within QC limits.

**Appendix A**  
**LABORATORY DATA PACKAGE COVER PAGE**

This data package is for Job No. 756325 and consists of:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
  - a. Items consistent with NELAC Chapter 5,
  - b. Dilution factors,
  - c. Preparation methods,
  - d. Cleanup methods, and
  - e. If required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
  - a. Calculated recovery (%R), and
  - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
  - a. LCS spiking amounts,
  - b. Calculated %R for each analyte, and
  - c. The laboratory's LCS QC limits.
- R7 - Test reports/summary forms for matrix spike/matrix spike duplicates (MS/MSDs) including:
  - a. Samples associated with the MS/MSD clearly identified,
  - b. MS/MSD spiking amounts,
  - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
  - d. Calculated %Rs and relative percent differences, and
  - e. The laboratory's MS/MSD QC limits.
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
  - a. The amount of analyte measured in the duplicate,
  - b. The calculated RPD, and,
  - c. The laboratory's QC limits for analytical duplicated.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte and
- R10 - Other problems or anomalies.

The exception Report for each "No" or "Not Reviewed (NR) " item in the Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

**Release Statement:** I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

**Check, if applicable:** [ ] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by [X] TCEQ on 02/24/2012

Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.

Name (Printed)  
Shelly Connelly

Signature  
*Shelly Connelly*

Official Title (Printed)  
Project Manager

Date  
07/02/2013



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-3

Lab ID: 756325001

Collected: 06/24/2013 11:40

Moisture: 2%

Received: 06/25/2013 08:55

Project ID: 0111C278A/Stewart Creek

Pace Project No.: 756325

Matrix: Solid

Parameters	DF	Results	Qual	Units	ML	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	3.3		mg/kg	0.24	0.095	06/27/2013 18:37	06/27/2013 05:46	7126	75ICP1
Cadmium	1	0.29		mg/kg	0.095	0.019	06/27/2013 18:37	06/27/2013 05:46	7126	75ICP1
Lead	1	27.0		mg/kg	0.19	0.048	06/27/2013 18:37	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
 400 W. Bethany Drive, Suite 190  
 Allen, TX 75013  
 (972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-3 Comp

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325002

Moisture: 9.6%

Pace Project No.: 756325

Collected: 06/24/2013 11:40

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	11.5	M1	mg/kg	0.28	0.11	06/27/2013 18:44	06/27/2013 05:46	7126	75ICP1
Cadmium	1	1.4	M1	mg/kg	0.11	0.023	06/27/2013 18:44	06/27/2013 05:46	7126	75ICP1
Lead	1	32.6	M1	mg/kg	0.23	0.056	06/27/2013 18:44	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-3 Base Comp

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325003

Moisture: 7%

Pace Project No.: 756325

Collected: 06/24/2013 11:40

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	9.2		mg/kg	0.28	0.11	06/27/2013 18:51	06/27/2013 05:46	7126	75ICP1
Cadmium	1	1.1		mg/kg	0.11	0.022	06/27/2013 18:51	06/27/2013 05:46	7126	75ICP1
Lead	1	27.7		mg/kg	0.22	0.055	06/27/2013 18:51	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-3 Wall Base

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325004

Moisture: 14.6%

Pace Project No.: 756325

Collected: 06/24/2013 11:40

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	8.1		mg/kg	0.29	0.12	06/27/2013 18:58	06/27/2013 05:46	7126	75ICP1
Cadmium	1	0.92		mg/kg	0.12	0.023	06/27/2013 18:58	06/27/2013 05:46	7126	75ICP1
Lead	1	15.7		mg/kg	0.23	0.059	06/27/2013 18:58	06/27/2013 05:46	7126	75ICP1





# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-3 SED

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325005

Moisture: 24.3%

Pace Project No.: 756325

Collected: 06/24/2013 11:40

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	10.4		mg/kg	0.34	0.14	06/27/2013 19:21	06/27/2013 05:46	7126	75ICP1
Cadmium	1	0.79		mg/kg	0.14	0.028	06/27/2013 19:21	06/27/2013 05:46	7126	75ICP1
Lead	1	39.3		mg/kg	0.28	0.069	06/27/2013 19:21	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: PS (6-24)-3

Lab ID: 756325006

Collected: 06/24/2013 12:20

Moisture: N/A

Received: 06/25/2013 08:55

Project ID: 0111C278A/Stewart Creek

Pace Project No.: 756325

Matrix: Solid

Parameters	DF	Results	Qual	Units	ML	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	3.0		mg/kg	0.26	0.10	06/27/2013 19:28	06/27/2013 05:46	7126	75ICP1
Cadmium	2	0.17	J	mg/kg	0.21	0.042	07/01/2013 20:29	06/27/2013 05:46	7126	75ICP1
Lead	1	4.4		mg/kg	0.21	0.052	06/27/2013 19:28	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: PS (6-24)-3 Base Comp

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325007

Moisture: 3.2%

Pace Project No.: 756325

Collected: 06/24/2013 12:20

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	11.8		mg/kg	0.25	0.098	06/27/2013 19:34	06/27/2013 05:46	7126	75ICP1
Cadmium	1	0.82		mg/kg	0.098	0.020	06/27/2013 19:34	06/27/2013 05:46	7126	75ICP1
Lead	1	13.6		mg/kg	0.20	0.049	06/27/2013 19:34	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-4

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325008

Moisture: 3.7%

Pace Project No.: 756325

Collected: 06/24/2013 14:10

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	3.8		mg/kg	0.25	0.10	06/27/2013 19:41	06/27/2013 05:46	7126	75ICP1
Cadmium	1	0.077	J	mg/kg	0.10	0.020	06/27/2013 19:41	06/27/2013 05:46	7126	75ICP1
Lead	1	62.1		mg/kg	0.20	0.050	06/27/2013 19:41	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-4 Base Comp

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325009

Moisture: 25.8%

Pace Project No.: 756325

Collected: 06/24/2013 14:10

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	ML	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	9.2		mg/kg	0.33	0.13	06/27/2013 19:48	06/27/2013 05:46	7126	75ICP1
Cadmium	1	0.63		mg/kg	0.13	0.027	06/27/2013 19:48	06/27/2013 05:46	7126	75ICP1
Lead	1	15.3		mg/kg	0.27	0.067	06/27/2013 19:48	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
 400 W. Bethany Drive, Suite 190  
 Allen, TX 75013  
 (972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-5

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325010

Moisture: 8.1%

Pace Project No.: 756325

Collected: 06/24/2013 15:50

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	ML	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	5.4		mg/kg	0.27	0.11	06/27/2013 19:55	06/27/2013 05:46	7126	75ICP1
Cadmium	1	0.088	J	mg/kg	0.11	0.022	06/27/2013 19:55	06/27/2013 05:46	7126	75ICP1
Lead	1	15.4		mg/kg	0.22	0.055	06/27/2013 19:55	06/27/2013 05:46	7126	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Chip (6-24)-5 Base Comp

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325011

Moisture: 26.8%

Pace Project No.: 756325

Collected: 06/24/2013 15:50

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	ML	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	8.9	M1	mg/kg	0.35	0.14	06/27/2013 20:44	06/27/2013 05:44	7171	75ICP1
Cadmium	1	0.63	M1	mg/kg	0.14	0.028	06/27/2013 20:44	06/27/2013 05:44	7171	75ICP1
Lead	1	76.7		mg/kg	0.28	0.070	06/27/2013 20:44	06/27/2013 05:44	7171	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Slag (6-24)-1

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325012

Moisture: N/A

Pace Project No.: 756325

Collected: 06/24/2013 16:25

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	118		mg/kg	0.24	0.097	06/27/2013 20:51	06/27/2013 05:44	7171	75ICP1
Cadmium	1	< 0.019	U	mg/kg	0.097	0.019	06/27/2013 20:51	06/27/2013 05:44	7171	75ICP1
Lead	100	35200		mg/kg	19.3	4.8	07/01/2013 11:28	06/27/2013 05:44	7171	75ICP1





# Sample Results

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Client: Southwest Geoscience

Client ID: Slag (6-24)-1 Base

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325013

Moisture: 18%

Pace Project No.: 756325

Collected: 06/24/2013 16:25

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	16.4		mg/kg	0.31	0.13	06/27/2013 20:58	06/27/2013 05:44	7171	75ICP1
Cadmium	1	0.56		mg/kg	0.13	0.025	06/27/2013 20:58	06/27/2013 05:44	7171	75ICP1
Lead	1	17.8		mg/kg	0.25	0.063	06/27/2013 20:58	06/27/2013 05:44	7171	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
 400 W. Bethany Drive, Suite 190  
 Allen, TX 75013  
 (972) 727-1123

Client: Southwest Geoscience

Client ID: Slag (6-24)-2

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325014

Moisture: 4.3%

Pace Project No.: 756325

Collected: 06/24/2013 16:40

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	2	38.7		mg/kg	0.50	0.20	06/30/2013 14:49	06/27/2013 05:44	7171	75ICP1
Cadmium	2	1.9		mg/kg	0.20	0.040	06/30/2013 14:49	06/27/2013 05:44	7171	75ICP1
Lead	100	20600		mg/kg	20.1	5.0	07/01/2013 11:33	06/27/2013 05:44	7171	75ICP1



# Sample Results

Pace Analytical Services, Inc.  
 400 W. Bethany Drive, Suite 190  
 Allen, TX 75013  
 (972) 727-1123

Client: Southwest Geoscience

Client ID: Slag (6-24)-2 Base

Project ID: 0111C278A/Stewart Creek

Lab ID: 756325015

Moisture: N/A

Pace Project No.: 756325

Collected: 06/24/2013 16:40

Received: 06/25/2013 08:55

Matrix: Solid

Parameters	DF	Results	Qual	Units	MQL	SDL	Analysis Date	Prep Date	Batch	Instr.
<b>6010 Metals, Total</b>		Analytical Method: EPA 6010			Preparation Method: EPA 3050					
Arsenic	1	279		mg/kg	0.25	0.10	06/27/2013 21:12	06/27/2013 05:44	7171	75ICP1
Cadmium	2	< 0.040	U	mg/kg	0.20	0.040	06/30/2013 14:55	06/27/2013 05:44	7171	75ICP1
Lead	2	459		mg/kg	0.40	0.10	07/01/2013 11:39	06/27/2013 05:44	7171	75ICP1



# Quality Control

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

Batch: 7103  
Method: ASTM D2974-87

Pace Project No.: 756325  
Instrument ID: 75BAL3

Duplicate: 28643

Original for Sample: Client sample Chip (6-21)-1

<u>Parameters</u>	<u>Original Result</u>	<u>Dup Result</u>	<u>Units</u>	<u>RPD</u>	<u>Max RPD</u>	<u>Quals</u>
Percent Moisture	1.7	2.9	%	52	20	D6



# Quality Control

Pace Analytical Services, Inc.  
 400 W. Bethany Drive, Suite 190  
 Allen, TX 75013  
 (972) 727-1123

Batch: 7126  
 Method: EPA 6010  
 Prep Method: EPA 3050

Pace Project No.: 756325  
 Instrument ID: 75ICP1

Blank: 28695

Parameters	Dilution	Quals	Result	Units	MQL	SDL	Analysis Date	Prep Date
Arsenic	1	U	<0.10	mg/kg	0.25	0.10	06/27/2013 16:34	06/27/2013 05:46
Cadmium	1	U	<0.020	mg/kg	0.10	0.020	06/27/2013 16:34	06/27/2013 05:46
Lead	1	U	<0.050	mg/kg	0.20	0.050	06/27/2013 16:34	06/27/2013 05:46

Laboratory Control Sample: 28696

Parameters	Spk Amt	LCS Result	Units	LCS %Rec	% Rec Limits	LCS Quals
Arsenic	50	45.4	mg/kg	91	80-120	
Cadmium	50	45.3	mg/kg	91	80-120	
Lead	50	48.1	mg/kg	96	80-120	

Matrix Spike: 28697

Matrix Spike Duplicate: 28698

Original for Sample: Client sample PS (6-21)-1

Parameters	Original Result	MS Spk	MSD Spk	MS Result	MSD Result	Units	MS %Rec	MSD %Rec	% Rec Limits	RPD	Max RPD	Quals
Arsenic	6.0	60.8	57.4	41.2	49.7	mg/kg	58	76	75-125	19	20	M1
Cadmium	<0.023	60.8	57.4	36.3	44.3	mg/kg	60	77	75-125	20	20	M1
Lead	6.0	60.8	57.4	38.8	59.5	mg/kg	54	93	75-125	42	20	M1,R1

Matrix Spike: 29093

Matrix Spike Duplicate: 29094

Original for Sample: Project sample Chip (6-24)-3 Comp

Parameters	Original Result	MS Spk	MSD Spk	MS Result	MSD Result	Units	MS %Rec	MSD %Rec	% Rec Limits	RPD	Max RPD	Quals
Arsenic	11.5	55.3	54.7	39.0	38.2	mg/kg	50	49	75-125	2	20	M1
Cadmium	1.4	55.3	54.7	28.8	29.9	mg/kg	50	52	75-125	4	20	M1
Lead	32.6	55.3	54.7	55.0	55.0	mg/kg	40	41	75-125	0	20	M1



# Quality Control

Pace Analytical Services, Inc.  
 400 W. Bethany Drive, Suite 190  
 Allen, TX 75013  
 (972) 727-1123

Batch: 7171  
 Method: EPA 6010  
 Prep Method: EPA 3050

Pace Project No.: 756325  
 Instrument ID: 75ICP1

Blank: 28885

Parameters	Dilution	Quals	Result	Units	MQL	SDL	Analysis Date	Prep Date
Arsenic	1	U	<0.10	mg/kg	0.25	0.10	06/27/2013 20:01	06/27/2013 05:44
Cadmium	1	U	<0.020	mg/kg	0.10	0.020	06/27/2013 20:01	06/27/2013 05:44
Lead	1	J	0.059	mg/kg	0.20	0.050	06/27/2013 20:01	06/27/2013 05:44

Laboratory Control Sample: 28886

Parameters	Spk Amt	LCS Result	Units	LCS %Rec	% Rec Limits	LCS Quals
Arsenic	50	42.8	mg/kg	86	80-120	
Cadmium	50	42.3	mg/kg	85	80-120	
Lead	50	43.5	mg/kg	87	80-120	

Matrix Spike: 28887

Matrix Spike Duplicate: 28888

Original for Sample: Project sample Chip (6-24)-5 Base Comp

Parameters	Original Result	MS Spk	MSD Spk	MS Result	MSD Result	Units	MS %Rec	MSD %Rec	% Rec Limits	RPD	Max RPD	Quals
Arsenic	8.9	64.4	64.4	47.1	47.0	mg/kg	59	59	75-125	0	20	M1
Cadmium	0.63	64.4	64.4	38.8	38.8	mg/kg	59	59	75-125	0	20	M1
Lead	76.7	64.4	64.4	148	153	mg/kg	111	119	75-125	3	20	



## Unadjusted MQL Summary

Pace Analytical Services, Inc.  
400 W. Bethany Drive, Suite 190  
Allen, TX 75013  
(972) 727-1123

---

Pace Project No.: 756325

---

Analyte	Method	Unadjusted MQL	Reporting Units
Arsenic	EPA 6010	0.25	mg/kg
Cadmium	EPA 6010	0.10	mg/kg
Lead	EPA 6010	0.20	mg/kg



---

Pace Project No.: 756325

---

**DEFINITIONS**

- DF Dilution Factor
- J Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
- U Indicates the compound was analyzed for, but not detected.
- SDL Sample Detection Limit
- MQL Method Quantitation Limit
- LCS(D) Laboratory Control Sample (Duplicate)
- MS(D) Matrix Spike (Duplicate)
- DUP Sample Duplicate
- RPD Relative Percent Difference
- TNI The Nelac Institute

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

**ANALYTE QUALIFIERS**

- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- R1 RPD value was outside control limits.



**TRRP LABORATORY REVIEW CHECKLIST**

<b>Laboratory</b>		Pace Analytical Services, Inc.	<b>LRC Date:</b>		07/02/2013		
<b>Project Name:</b>		0111C278A/Stewart Creek	<b>Laboratory Job Number:</b>		756325		
<b>Reviewer Name:</b>		Shelly Connelly	<b>Prep Batch Number(s):</b>		See exception report.		
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER # <sup>5</sup>
<b>R1</b>	<b>OI</b>	<b>Chain-of-custody (C-O-C)</b>					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
<b>R2</b>	<b>OI</b>	<b>Sample and quality control (QC) identification</b>					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
<b>R3</b>	<b>OI</b>	<b>Test reports</b>					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?			X		
		If required for the project, are TICs reported?			X		
<b>R4</b>	<b>O</b>	<b>Surrogate recovery data</b>					
		Were surrogates added prior to extraction?			X		
		Were surrogate percent recoveries in all samples within the laboratory QC limits?			X		
<b>R5</b>	<b>OI</b>	<b>Test reports/summary forms for blank samples</b>					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
<b>R6</b>	<b>OI</b>	<b>Laboratory control samples (LCS):</b>					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?			X		
<b>R7</b>	<b>OI</b>	<b>Matrix spike (MS) and matrix spike duplicate (MSD) data</b>					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?			X		R7.3
		Were MS/MSD RPDs within laboratory QC limits?			X		R7.4
<b>R8</b>	<b>OI</b>	<b>Analytical duplicate data</b>					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
<b>R9</b>	<b>OI</b>	<b>Method quantitation limits (MQLs):</b>					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCs included in the laboratory data package?	X				
<b>R10</b>	<b>OI</b>	<b>Other problems/anomalies</b>					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices, and methods associated with this laboratory data package?	X				

- Items identified by the letter "R" must be included in the laboratory in the laboratory data package submitted in the TRRP-required reports(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period;
- O = Organic analyses; I = inorganic analyses (and general chemistry, when applicable);
- NA = Not applicable;
- NR = Not reviewed;
- ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

**TRRP LABORATORY REVIEW CHECKLIST**

<b>Laboratory</b>		Pace Analytical Services, Inc.	<b>LRC Date:</b>		07/02/2013		
<b>Project Name:</b>		0111C278A/Stewart Creek	<b>Laboratory Job Number:</b>		756325		
<b>Reviewer Name:</b>		Shelly Connelly	<b>Prep Batch Number(s):</b>		See exception report.		
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER # <sup>5</sup>
<b>S1</b>	<b>OI</b>	<b>Initial calibration (ICAL)</b>					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
<b>S2</b>	<b>OI</b>	<b>Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):</b>					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?	X				
<b>S3</b>	<b>O</b>	<b>Mass spectral tuning</b>					
		Was the appropriate compound for the method used for tuning?			X		
		Were ion abundance data within the method-required QC limits?			X		
<b>S4</b>	<b>O</b>	<b>Internal standards (IS)</b>					
		Were IS area counts and retention times within the method-required QC limits?			X		
<b>S5</b>	<b>OI</b>	<b>Raw data (NELAC Section 5.5.10)</b>					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
<b>S6</b>	<b>O</b>	<b>Dual column confirmation</b>					
		Did dual column confirmation results meet the method-required QC?			X		
<b>S7</b>	<b>O</b>	<b>Tentatively identified compounds (TICs)</b>					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
<b>S8</b>	<b>I</b>	<b>Interference Check Sample (ICS) results</b>					
		Were percent recoveries within method QC limits?	X				
<b>S9</b>	<b>I</b>	<b>Serial dilutions, post digestion spikes, and method of standard additions</b>					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?	X				
<b>S10</b>	<b>OI</b>	<b>Method detection limit (MDL) studies</b>					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
<b>S11</b>	<b>OI</b>	<b>Proficiency test reports</b>					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
<b>S12</b>	<b>OI</b>	<b>Standards documentation</b>					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
<b>S13</b>	<b>OI</b>	<b>Compound/analyte identification procedures</b>					
		Are the procedures for compound/analyte identification documented?	X				
<b>S14</b>	<b>OI</b>	<b>Demonstration of analyst competency (DOC)</b>					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
<b>S15</b>	<b>OI</b>	<b>Verification/validation documentation for methods (NELAC Chapter 5)</b>					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
<b>S16</b>	<b>OI</b>	<b>Laboratory standard operating procedures (SOPs)</b>					
		Are laboratory SOPs current and on file for each method performed?	X				

- Items identified by the letter "R" must be included in the laboratory in the laboratory data package submitted in the TRRP-required reports(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period;
- O = Organic analyses; I = inorganic analyses (and general chemistry, when applicable);
- NA = Not applicable;
- NR = Not reviewed;
- ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

**TRRP LABORATORY REVIEW CHECKLIST**

<b>Laboratory</b>	<i>Pace Analytical Services, Inc.</i>	<b>LRC Date:</b>	<i>07/02/2013</i>
<b>Project Name:</b>	<i>0111C278A/Stewart Creek</i>	<b>Laboratory Job Number:</b>	<i>756325</i>
<b>Reviewer Name:</b>	<i>Shelly Connelly</i>	<b>Prep Batch Number(s):</b>	<i>7103,7126,7129,7171</i>
<b>ER #<sup>1</sup></b>	<b>Description</b>		
<i>R7.3</i>	<i>MS Sample #28697: Arsenic 58% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MS Sample #28697: Cadmium 60% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MS Sample #28697: Lead 54% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MS Sample #28887: Arsenic 59% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MS Sample #28887: Cadmium 59% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MS Sample #29093: Arsenic 50% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MS Sample #29093: Cadmium 50% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MS Sample #29093: Lead 40% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MSD Sample #28888: Arsenic 59% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MSD Sample #28888: Cadmium 59% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MSD Sample #29094: Arsenic 49% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MSD Sample #29094: Cadmium 52% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.3</i>	<i>MSD Sample #29094: Lead 41% spike recovery outside laboratory QC limit of 75-125%.</i>		
<i>R7.4</i>	<i>MSD Sample #28698: Lead RPD of 42 exceeds laboratory QC limit of 20.</i>		
1. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).			