

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
2/24/2016	0.00301	0.00175	0.00218	0.00226	0.007	0.006	0.009	0.004	0.01	0.01	0.01	0.00	0.01	0.6/10.5	Northwest	2/24/2016
2/18/2016	0.01169	0.00985	0.02226	MM					Design Value is below the 0.15 µg/m3 standard				5.6/17.0	South-southeast	2/18/2016	
2/12/2016	0.01034	0.00641	0.0103	0.00673									2.6/6.5	Northeast	2/12/2016	
2/6/2016	0.00324	0.00432	0.00267	0.00254									1.0/9.2	Variable	2/6/2016	
1/31/2016	0.00399	0.00391	0.00406	0.00352	0.008	0.008	0.010	0.007	0.01	0.01	0.01	0.01	0.01	2.5/13.3	Variable	1/31/2016
1/25/2016	0.00436	0.00389	0.0041	0.0037									0.9/13.1	Variable	1/25/2016	
1/19/2016	0.00991	0.00865	0.0071	0.00395									2.8/16.4	Variable	1/19/2016	
1/13/2016	0.00894	0.00526	0.00486	0.00423									2.5/10.8	South	1/13/2016	
1/7/2016	0.00368	0.00316	0.00366	0.003									0.1/9.0	South-southeast	1/7/2016	
1/1/2016	0.01735	0.02225	0.03464	0.02189									0.2/6.4	North	1/1/2016	
12/26/2015	0.00353	0.00313	0.00619	0.00173	0.007	0.005	0.007	0.004	0.01	0.00	0.01	0.01	0.01	5.1/15.9	Variable	12/26/2015
12/20/2015	0.00354	0.00303	0.00508	0.00283									7.7/12.3	Southeast	12/20/2015	
12/14/2015	0.00389	0.00255	0.00223	0.00197									2.5/10.1	Variable	12/14/2015	
12/8/2015	0.00844	0.0065	0.01023	0.00547									0.8/12.3	South-southeast	12/8/2015	
12/2/2015	0.01485	0.00949	0.00893	0.00588									0.0/9.0	North-northwest	12/2/2015	
11/26/2015	0.00212	0.00226	0.00212	0.00149	0.004	0.003	0.004	0.010	0.01	0.00	0.01	0.01	0.01	5.3/10.0	Southeast	11/26/2015
11/20/2015	0.00432	0.00301	0.00352	0.00282									4.3/8.8	Southeast	11/20/2015	
11/14/2015	0.00476	0.00481	0.00562	0.0422									1.0/6.5	Southeast	11/14/2015	
11/8/2015	0.00241	0.00209	0.005	0.00167									0.6/9.8	North	11/14/2015	
11/2/2015	0.0044	0.0034	0.00376	0.00284									0.6/7.0	Variable	11/2/2015	
10/27/2015	0.00383	0.00402	0.00388	0.00339	0.005	0.005	0.006	0.004	0.01	0.00	0.01	0.00	0.01	1.3/4.6	Variable	10/27/2015
10/21/2015	0.00459	0.00405	0.00914	0.0046									3.6/9.2	Southeast	10/21/2015	
10/15/2015	0.01024	0.01013	0.00716	0.00652									3.6/9.3	South	10/15/2015	
10/9/2015	0.00524	0.00499	0.00706	0.00502									0.5/9.6	Variable	10/9/2015	
10/3/2015	0.00276	0.00305	0.00353	0.00287									1.5/6.2	North-northeast	10/3/2015	
9/27/2015	MM	0.00314	0.00643	0.00252	0.006	0.003	0.005	0.003	0.01	0.00	0.01	0.00	0.01	2.7/8.1	East-southeast	9/27/2015
9/21/2015	0.00671	0.00354	0.00494	0.00317									1.4/6.3	East-southeast	9/21/2015	
9/15/2015	0.01038	0.00223	0.00502	0.00368									3.2/7.9	Southeast	9/15/2015	
9/9/2015	0.00269	0.00267	0.00333	0.00174									0.4/5.8	Variable	9/9/2015	
9/3/2015	0.00521	0.00311	0.00656	0.00288									2.3/6.2	Southeast	9/3/2015	
8/28/2015	0.00549	0.00287	0.00656	0.00288	0.007	0.004	0.008	0.002	0.01	0.00	0.01	0.00	0.01	3.6/6.3	Southeast	8/28/2015

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			
8/22/2015	0.00364	0.00247	0.00486	0.00194										4.2/8.7	South-southeast	8/22/2015
8/16/2015	MM	0.00266	0.00425	0.00217										0.8/5.3	East/Southeast	8/16/2010
8/10/2015	0.00507	0.00324	0.00676	0.00152										0.6/5.4	Variable	8/10/2015
8/4/2015	0.01571	0.00772	0.0152	0.00377										2.7/6.3	Variable	8/4/2015
7/29/2015	0.01419	0.00558	0.00951	0.00374	0.011	0.005	0.007	0.003	0.01	0.00	0.01	0.01	0.01	2.2/6.1	Variable	7/29/2015
7/23/2015	0.01549	0.00814	0.00968	0.00248										5.6/7.7	South-southeast	7/23/2015
7/17/2015	0.01402	0.00446	0.00809	0.00207										5.4/7.8	South	7/17/2015
7/11/2015	0.00566	0.00443	0.00526	0.0034										5.4/7.8	South	7/11/2015
7/5/2015	0.00372	0.00312	0.0045	0.00181										6.6/10.7	South	7/15/2015
6/29/2015	0.01	0.0053	0.0422	0.00458	0.009	0.006	0.020	0.009	0.01	0.00	0.01	0.01	0.01	0.8/5.4	Variable	6/29/2015
6/23/2015	0.01131	0.00631	0.00628	0.00508										1.9/6.1	South	6/23/2015
6/17/2015	0.00423	0.00495	PF	0.0043										0.5/6.5	Variable	6/17/2015
6/11/2015	0.01022	0.00817	PF	0.02258										PF	PF	6/11/2015
6/5/2015	0.00756	0.00436	0.01115	0.00752										1.9/4.5	East/Southeast	6/5/2015
5/30/2015	0.00314	0.00397	0.00601	0.00277	0.004	0.003	0.006	0.008	0.00	0.00	0.01	0.00	0.01	1.0/6.5	North/Northeast	5/30/2015
5/24/2015	0.00303	0.00267	0.00353	0.00131										1.6/6.6	Variable	5/24/2015
5/18/2015	0.00476	0.00418	0.00821	0.00621										1.4/6.3	Variable	5/18/2015
5/12/2015	0.00228	0.00261	0.01056	0.00176										2.7/6.8	Northeast/east	5/12/2015
5/6/2015	0.00462	0.00293	0.00309	0.02656										5.5/6.1	Southeast	5/6/2015
4/30/2015	0.00388	0.00532	0.00379	0.00319	0.003	0.003	0.004	0.003	0.00	0.00	0.01	0.00	0.01	0.5/3.6	Variable	4/30/2015
4/24/2015	0.00169	0.00184	0.00406	0.00188										1.2/6.7	Variable	4/24/2015
4/18/2015	0.00255	0.00279	0.00417	MM										0.4/5.4	Variable	4/18/2015
4/12/2015	0.00302	0.00279	MM	0.00318										3.5/6.5	South-Southeast	4/12/2015
4/6/2015	0.00521	0.00333	0.00511	0.00203										2.6/6.8	South-Southeast	4/6/2015
3/31/2015	0.00738	0.00547	0.00525	0.00292	0.005	0.004	0.007	0.003	0.00	0.00	0.01	0.00	0.01	4.5/6.9	South-southwest	3/31/2015
3/25/2015	0.00477	0.00351	0.01198	0.00231										1.0/6.5	South-Southeast	3/25/2015
3/19/2015	0.00206	0.00276	0.00538	0.00239										3.5/7.2	East-northeast	3/19/2015
3/13/2015	0.00206	0.00361	0.00324	0.0019										2.3/6.6	North-northwest	3/13/2015
3/7/2015	0.00679	0.00402	0.00483	0.00361										1.8/7.3	Variable	3/7/2015
3/1/2015	0.00433	0.00627	0.00908	0.00731										2.2/7.4	North	3/1/2015
2/23/2015	0.00326	0.00372	0.00451	0.00319	0.003	0.004	0.005	0.004	0.00	0.00	0.00	0.00	0.00	5/10.8	North	2/23/2015

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
2/17/2015	0.00275	0.00222	0.00328	0.00234										0.7/7.1	North-northwest	2/17/2015
2/11/2015	0.00352	0.00492	0.00909	0.0039										4.7/10.4	North-northeast	2/11/2015
2/5/2015	0.00413	0.00336	0.00217	0.00756										0.5/11.0	North	2/5/2015
1/30/2015	0.00188	0.002	0.00408	0.00224	0.003	0.003	0.004	0.002	0.00	0.00	0.00	0.00	0.00	1.5/7.5	North-northeast	1/30/2015
1/24/2015	0.00221	0.00125	0.00256	0.0013										1.2/5.9	Variable	1/24/2015
1/18/2015	0.00421	0.00376	0.00462	0.00248										0.3/11.8	Variable	1/18/2015
1/12/2015	0.00254	0.00241	MM	0.00227										1.5/10.0	North	1/12/2015
1/6/2015	0.00362	0.00383	0.00404	0.0033										0.9/12.1	Variable	1/6/2015
12/31/2014	0.00405	0.00534	0.00559	0.00363	0.006	0.004	0.005	0.004	0.01	0.01	0.01	0.01	0.01	3.8/8.3	North	12/31/2014
12/25/2014	0.00196	0.00497	0.00728	0.00237										4.7/16.5	South-Southeast	12/25/2014
12/19/2014	0.00294	0.00349	0.00376	0.00276										1.9/6.0	North	12/19/2014
12/13/2014	0.00262	0.00311	0.00732	0.0025										4.5/9.3	South-Southeast	12/13/2014
12/7/2014	0.00328	0.00299	0.0035	0.00267										MM	MM	12/7/2014
12/1/2014	0.02232	0.00455	0.00439	0.01056										2.0/6.0	Northeast	12/1/2014
11/25/2014	0.00479	0.0041	0.00416	0.00349	0.006	0.005	0.006	0.005	0.01	0.00	0.01	0.01	0.01	.5/6.3	Variable	11/25/2014
11/19/2014	0.01007	0.01198	0.01052	0.00798										2.0/10.8	South	11/19/2014
11/13/2014	MM	0.00305	0.00357	0.00284										1.5/10.1	Northwest	11/13/2014
11/7/2014	0.00565	0.00337	0.00458	0.00556										0.5/8.0	Variable	11/7/2014
11/1/2014	0.00288	0.00259	0.00477	0.00347										2.1/7.3	Variable	11/1/2014
10/26/2014	0.00796	0.00799	0.00825	0.00365	0.007	0.006	0.008	0.008	0.00	0.00	0.01	0.00	0.01	3.1/11.8	South-Southwest	10/26/2014
10/20/2014	0.01103	0.00798	0.0136	0.00469										1.0/5.4	Variable	10/20/2014
10/14/2014	0.0033	0.00209	0.00371	MM										0.2/10.5	Southwest	10/14/2014
10/8/2014	0.00491	0.00298	0.00386	0.02162										5.2/8.5	South-Southeast	10/8/2014
10/2/2014	0.0088	0.01087	0.01086	0.00301										1.5/12.3	Variable	10/2/2014
9/26/2014	0.00315	0.00251	0.00332	0.00567	0.003	0.003	0.004	0.003	0.00	0.00	0.01	0.00	0.01	1.1/4.4	Variable	9/26/2014
9/20/2014	0.00173	0.00184	0.00304	0.00144										2.8/7.1	Southeast	9/20/2014
9/14/2014	0.00239	0.00278	0.00537	0.00192										0.3/4.2	Variable	9/14/2014
9/8/2014	0.00534	0.00345	0.00438	0.0021										2.1/5.5	Variable	9/8/2014
9/2/2014	0.0029	0.00221	0.00487	0.00412										5.3/10.3	South-Southeast	9/2/2014
8/27/2014	0.00318	0.00276	0.00429	0.0026	0.003	0.003	0.005	0.003	0.01	0.00	0.01	0.00	0.01	2.3/6.5	Southeast	8/27/2014
8/21/2014	0.00408	0.00462	0.00707	MM										4.8/9.6	South	8/21/2014

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
8/15/2014	0.00469	0.00305	0.00673	0.00681										4.0/7.1	South-Southeast	8/15/2014
8/9/2014	0.00198	0.00187	0.00308	0.00152										0.4/8.1	Variable	8/9/2014
8/3/2014	0.00299	0.00503	0.00412	0.00257										0.5/5.4	North-northeast	8/3/2014
7/28/2014	0.01073	0.00425	0.01271	0.00526	0.005	0.003	0.008	0.003	0.01	0.01	0.01	0.00	0.01	0.3/9.8	Variable	7/28/2014
7/22/2014	0.00344	0.00237	0.00509	0.00238										1.9/5.7	Variable	7/22/2014
7/16/2014	0.00418	0.00209	0.01075	0.0022										1.9/7.9	Variable	7/16/2014
7/10/2014	0.00419	0.00443	0.00517	0.00317										3.8/8.7	Variable	7/10/2014
7/4/2014	0.00421	0.00398	0.00546	0.00345										1.6/6.5	Southeast	7/4/2014
6/28/2014	MM	0.00392	0.00698	0.00211	0.010	0.007	0.009	0.004	0.01	0.01	0.01	0.00	0.01	4.6/11.1	South-Southeast	6/28/2014
6/22/2014	0.00411	0.00492	0.00551	0.00285										2.6/8.0	Variable	6/22/2014
6/16/2014	MM	0.01753	0.01029	0.00292										6.5/13.0	South	6/16/2014
6/10/2014	0.0186	0.00316	0.00407	0.00314										0.2/7.6	Northwest-nort	6/10/2014
6/4/2014	0.00617	0.00606	0.01641	0.00929										6.1/10.0	South	6/4/2014
5/29/2014	0.00245	0.00229	0.00551	0.00161	0.005	0.007	0.017	0.003	0.01	0.02	0.02	0.01	0.02	1.6/6.6	North-northeast	5/29/2014
5/23/2014	0.00565	0.00766	0.00713	0.0026										2.2/8.4	South-Southeast	5/23/2014
5/17/2014	0.0052	0.00539	0.01515	0.00392										0.9/10.1	Variable	5/17/2014
5/11/2014	0.00297	0.00542	0.01997	0.00182										8.8/13.0	Southeast	5/11/2014
5/5/2014	0.00948	0.01267	0.03557	0.00442										7.7/11.7	South	5/5/2014
4/29/2014	0.0988	0.00399	0.01228	0.0103	0.024	0.004	0.013	0.005	0.01	0.02	0.02	0.01	0.02	0.6/11.1	North-northeast	4/29/2014
4/23/2014	0.00686	0.00388	0.01923	0.00382										2.8/8.4	South-Southeast	4/23/2014
4/17/2014	0.00393	0.00362	0.00373	0.00308										1.2/6.2	Variable	4/17/2014
4/11/2014	0.00667	0.00527	0.0236	0.00287										5.1/9.7	South	4/11/2014
4/5/2014	0.00319	0.00453	0.00426	0.00286										3.1/9.0	Northeast-east	4/5/2014
3/30/2014	0.00457	0.01055	0.01893	0.0039	0.012	0.035	0.018	0.008	0.01	0.02	0.02	0.01	0.02	3.1/9.6	South-Southeast	3/30/2014
3/24/2014	0.00429	0.00723	0.01986	0.00323										0.6/6.2	Variable	3/24/2014
3/18/2014	0.01928	0.147	0.03721	0.00833										3.9/15.1	South-Southeast	3/18/2014
3/12/2014	0.0244	0.00351	0.00594	0.01943										1.8/15.2	North	3/12/2014
3/6/2014	0.00782	0.00521	0.0086	0.00477										2.3/9.3	North	3/6/2014
2/28/2014	MM	0.00507	0.06283	0.0052	0.005	0.007	0.022	0.004	0.01	0.01	0.02	0.01	0.02	4.6/12.7	South	2/28/2014
2/22/2014	0.00877	0.01472	0.02622	0.00511										1.6/11.4	South	2/22/2014
2/16/2014	0.00389	0.0056	0.01277	0.00369										1.8/9.1	East-southeast	2/16/2014

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
2/10/2014	0.0027	0.00373	0.00512	0.00298										7.2/10.5	North	2/10/2014
2/4/2014	0.00431	0.00349	0.00394	0.00216										2.0/9.2	Variable	2/4/2014
1/29/2014	0.00963	0.00765	0.05795	0.00402	0.009	0.005	0.016	0.009	0.01	0.01	0.02	0.01	0.02	0.6/7.5	Variable	1/29/2014
1/23/2014	0.00412	0.00508	0.00748	0.00302										11.4/15.8	North	1/23/2014
1/17/2014	0.00688	0.00469	0.00674	0.008										1.0/11.9	North	1/17/2014
1/11/2014	0.00533	0.00437	0.00534	0.00393										1.0/9.4	Variable	1/11/2014
1/5/2014	0.02135	0.00432	0.00462	0.0255										6.6/15.5	Northwest	1/5/2014
12/30/2013	0.00674	0.00849	0.0088	0.01464	0.010	0.009	0.013	0.007	0.01	0.01	0.03	0.00	0.03	3.2/9.2	Northwest	12/30/2013
12/24/2013	0.00403	0.00331	0.00764	0.00313										2.1/6.6	Southeast	12/24/2013
12/18/2013	0.02089	0.02418	0.03869	0.00665										1.4/9.0	Variable	12/18/2013
12/12/2013	0.01202	0.00559	0.00564	0.00827										0.7/6.2	North	12/12/2013
12/6/2013	0.00438	0.00503	0.00617	0.00383										6.9/14.3	North	12/6/2013
11/30/2013	0.00502	0.00742	0.00612	0.00418	0.003	0.005	0.026	0.003	0.01	0.00	0.03	0.00	0.03	0.9/9.6	South	11/30/2013
11/24/2013	0.00234	0.00388	0.00433	0.00245										3.5/10.4	North-northeast	11/24/2013
11/18/2013	0.00264	0.00504	0.09211	0.00302										3.9/8.5	North-northeast	11/18/2013
11/12/2013	0.00422	0.00382	0.00707	0.00601										3.0/14.5	North	11/12/2013
11/6/2013	0.00382	0.0027	0.00277	0.00218										1.2/11.2	North-northwest	11/6/2013
10/31/2013	0.01154	0.00345	0.00483	0.00181	0.007	0.004	0.042	0.004	0.01	0.01	0.04	0.01	0.04	1.0/12.3	Variable	10/31/2013
10/25/2013	0.00551	0.00526	0.17332	0.00542										2.1/7.1	Northeast	10/25/2013
10/19/2013	0.00617	0.00411	0.00641	0.0037										1.0/7.4	North-northwest	10/19/2013
10/13/2013	PF	0.0022	0.03423	0.00233										1.4/6.8	East	10/13/2013
10/7/2013	0.00425	0.00291	0.02864	0.00428										1.1/5.2	North	10/7/2013
10/1/2013	0.00768	0.00387	0.00604	0.00412										1.8/5.2	Northeast	10/1/2013
9/25/2013	0.00331	0.00504	0.02685	0.00354	0.005	0.005	0.026	0.004	0.02	0.01	0.04	0.01	0.04	1.0/5.2	Variable	9/25/2013
9/19/2013	0.00722	0.00706	0.01462	0.00327										1.7/6.5	Variable	9/19/2013
9/13/2013	0.00367	0.00293	0.06246	0.0025										1.3/7.5	Northeast	9/13/2013
9/7/2013	0.00756	0.00692	0.01357	0.004										2.0/6.6	Southeast	9/7/2013
9/1/2013	0.00561	0.00394	0.01033	0.00538										0.4/6.5	South	9/1/2013
8/26/2013	0.00421	0.00256	0.05417	0.0022	0.028	0.013	0.049	0.014	0.02	0.01	0.05	0.01	0.05	2.1/6.6	Southeast	8/26/2013
8/20/2013	0.00694	0.00682	0.0204	0.00483										1.5/5.5	South	8/20/2013
8/14/2013	0.00498	0.00316	0.0334	MM										3.3/7.3	Northeast	8/14/2013

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
8/8/2013	0.06512	0.02878	0.0583	0.0446										1.5/7.7	Southwest	8/8/2013
8/2/2013	0.05698	0.02549	0.07974	0.00279										3.0/8.3	South	8/2/2013
7/27/2013	0.00417	0.00351	0.03727	0.00201	0.021	0.016	0.035	0.003	0.02	0.01	0.05	0.03	0.05	1.9/7.5	Northeast	7/27/2013
7/21/2013	0.01819	0.01552	0.03694	0.00161										3.6/8.4	Southwest	7/21/2013
7/15/2013	0.00346	0.00306	0.00831	0.00202										0.9/5.5	Variable	7/15/2013
7/9/2013	0.07252	0.05513	0.08251	0.00467										2.7/9.0	Southwest	7/9/2013
7/3/2013	0.00558	0.00484	0.01121	0.00322										0.7/3.5	Variable	7/3/2013
6/27/2013	0.03874	0.0222	0.08192	0.00451	0.021	0.014	0.058	0.011	0.02	0.01	0.07	0.03	0.07	2.5/8.9	Southwest	6/27/2013
6/21/2013	0.01442	0.02167	0.07184	0.0051										4.6/9.9	South	6/21/2013
6/15/2013	0.0227	0.01242	0.05744	0.00613										0.6/6.7	Variable	6/15/2013
6/9/2013	0.01692	0.0038	0.03938	0.0295										0.4/6.7	Variable	6/9/2013
6/3/2013	0.01241	0.00909	0.0375	0.01049										2.8/7.1	Southeast	6/3/2013
5/28/2013	0.00727	0.01586	0.116	0.00366	0.027	0.012	0.057	0.065	0.02	0.01	0.06	0.07	0.07	6.3/13.2	Southeast	5/28/2013
5/22/2013	0.00585	0.00878	0.03523	0.00585										0.3/4.9	Variable	5/22/2013
5/16/2013	0.02572	0.02802	0.115	0.00339										2.5/10.8	Southeast	5/16/2013
5/10/2013	0.00613	0.00385	0.00995	0.00761										2.3/6.8	North	5/10/2013
5/4/2013	0.08798	0.00454	0.00637	0.30651										1.8/12.4	North	5/4/2013
4/28/2013	0.00418	0.00529	0.01578	0.00388	0.011	0.012	0.107	0.023	0.03	0.01	0.05	0.06	0.06	1.3/4.7	Variable	4/28/2013
4/22/2013	0.02336	0.01771	0.17773	0.00613										4.4/8.8	Southeast	4/22/2013
4/16/2013	0.01646	0.03065	0.32702	0.00616										6.3/11.1	Southeast	4/16/2013
4/10/2013	0.00558	0.00376	0.01155	0.0794										4.0/13.9	Northwest	4/10/2013
4/4/2013	0.00342	0.00373	0.00367	0.01974										1.3/10.1	Northwest	4/4/2013
3/29/2013	0.0215	0.04329	0.08091	0.00636	0.024	0.015	0.027	0.121	0.05	0.02	0.04	0.05	0.05	5.5/11.4	Southeast	3/29/2013
3/23/2013	0.00165	0.00075	0.00563	0.00574										2.0/11.0	Northeast	3/23/2013
3/17/2013	0.00934	0.01638	0.01819	0.00579										2.6/6.7	Variable	3/17/2013
3/11/2013	0.00461	0.00238	0.01574	0.39508										0.8/6.9	North	3/11/2013
3/5/2013	0.08301	0.0135	0.01641	0.19071										0.7/19.2	Northwest	3/5/2013
2/27/2013	0.19566	0.00347	0.00664	0.147	0.046	0.006	0.011	0.033	0.04	0.01	0.04	0.02	0.04	4.2/9.4	Northwest	2/27/2013
2/21/2013	0.01169	0.00281	0.00713	0.00476										1.4/15.5	Variable	2/21/2013
2/15/2013	0.00315	0.00482	0.00773	0.00601										0.6/10.4	North	2/15/2013
2/9/2013	0.00714	0.00666	0.01853	0.00429										6.0/10.7	East	2/9/2013

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			
2/3/2013	0.00992	0.01135	0.01681	0.00364										0.3/6.7	Variable	2/3/2013
1/28/2013	0.0145	0.06112	0.25491	0.00421	0.069	0.024	0.072	0.008	0.05	0.02	0.08	0.03	0.08	5.8/13.7	South	1/28/2013
1/22/2013	0.04124	0.01391	0.04694	0.00863										1.7/6.7	Variable	1/22/2013
1/16/2013	0.0419	0.00723	0.01176	0.00677										0.3/4.0	Variable	1/16/2013
1/10/2013	0.19237	0.03102	0.01855	0.0028										4.0/12.3	Variable	1/10/2013
1/4/2013	0.05488	0.00896	0.02714	0.01656										0.2/4.2	Variable	1/4/2013
12/29/2012	0.01003	0.00461	0.00456	0.0506	0.019	0.007	0.027	0.029	0.07	0.04	0.20	0.05	0.20	0.3/5.4	Northeast	12/29/2012
12/23/2012	0.00861	0.005	0.00747	0.00446										2.0/9.0	Variable	12/23/2012
12/17/2012	0.03353	0.00771	0.01438	0.05229										0.1/5.3	Variable	12/17/2012
12/11/2012	0.02953	0.00954	0.06145	0.01563										1.5/5.9	Variable	12/11/2012
12/5/2012	0.01426	0.00604	0.04617	0.02176										0.7/6.1	North-northeast	12/5/2012
11/29/2012	0.063	0.03285	0.19214	0.00872	0.075	0.034	0.142	0.039	0.09	0.06	0.26	0.05	0.26	3.6/9.4	Southeast	11/29/2012
11/23/2012	0.0091	0.0141	0.02738	0.00495										0.7/12.9	North	11/23/2012
11/17/2012	0.02009	0.01018	0.1167	0.00991										1.3/5.4	East-southeast	11/17/2012
11/11/2012	0.0582	0.1021	0.35958	0.0341										3.5/13.1	Variable	11/11/2012
11/5/2012	0.22449	0.01173	0.01644	0.13933										0.5/10.0	Variable	11/5/2012
10/30/2012	0.19973	0.19101	0.14143	0.01043	0.117	0.084	0.418	0.094	0.12	0.08	0.31	0.05	0.31	0.5/6.0	Variable	10/30/2012
10/24/2012	0.1359	0.06934	1.39601	0.02048										5.4/11.5	Southeast	10/24/2012
10/18/2012	0.04817	0.01637	0.04125	0.42313										0.8/7.1	North-northwest	10/18/2012
10/12/2012	0.19787	0.13667	0.50101	0.00722										4.8/9.1	Southeast	10/12/2012
10/6/2012	0.00543	0.00764	0.00799	0.00782										6.1/8.5	Northeast	10/6/2012
9/30/2012	0.00522	0.01063	0.01971	0.02205	0.070	0.053	0.215	0.031	0.11	0.07	0.22	0.03	0.22	0.4/9.8	North-northeast	9/30/2012
9/24/2012	0.17239	0.20846	0.66346	MM										3.3/10.8	South	9/24/2012
9/18/2012	0.00429	0.00239	0.03238	0.02132										2.1/8.8	North-northeast	9/18/2012
9/12/2012	0.07239	0.0073	0.2608	0.00685										2.3/6.9	Southeast	9/12/2012
9/6/2012	0.09607	0.03738	0.09689	0.07552										1.1/4.3	Variable	9/6/2012
8/31/2012	0.46245	0.01251	0.07275	0.0449	0.164	0.088	0.305	0.039	0.11	0.06	0.20	0.02	0.20	0.7/6.7	Variable	8/31/2012
8/25/2012	0.04068	0.0157	0.83819	0.0039										6.6/10.8	Southeast	8/25/2012
8/19/2012	0.03184	MM	0.00617	0.1222										0.6/6.8	Variable	8/19/2012
8/13/2012	MM	0.03736	0.0535	0.0404										1.5/8.4	Variable	8/13/2012
8/7/2012	0.11959	0.1109	0.30004	0.02007										1.1/5.2	Variable	8/7/2012

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
8/1/2012	MM	0.26293	0.55865	0.00522										4.6/8.8	South	8/1/2012
7/26/2012	0.1976	0.18549	0.17837	0.03845	0.105	0.067	0.129	0.011	0.06	0.04	0.15	0.01	0.15	1.6/9.3	Variable	7/26/2012
7/20/2012	0.16252	0.08118	0.05144	0.00367										0.6/11.2	Southwest	7/20/2012
7/14/2012	0.00923	0.00661	0.02613	0.00351										0.9/11.5	Variable	7/14/2012
7/8/2012	0.02111	0.00577	0.04674	0.00434										0.5/8.3	East-southeast	7/8/2012
7/2/2012	0.13274	0.05539	0.34375	0.0042										4.7/8.9	South	7/2/2012
6/26/2012	0.01676	0.03779	0.03571	0.03977	0.048	0.016	0.173	0.012	0.04	0.04	0.18	0.02	0.18	0.5/6.8	Variable	6/26/2012
6/20/2012	0.08162	0.0074	0.4401	0.0044										5.4/10.0	Southeast	6/20/2012
6/14/2012	0.08263	0.0127	0.20537	0.0031										4.1/8.9	Southeast	6/14/2012
6/8/2012	0.00935	0.00464	0.01258	0.00668										1.4/6.7	Northeast-east	6/8/2012
6/2/2012	0.04919	PF	PF	0.00418										No data	No data	6/2/2012
5/27/2012	0.02685	0.03183	0.23672	0.00343	0.032	0.030	0.161	0.013	0.06	0.05	0.20	0.01	0.20	4.4/11.1	Southeast	5/27/2012
5/21/2012	0.01326	0.00556	0.01404	0.02315										1.2/6.0	North-northeast	5/21/2012
5/15/2012	0.00847	0.00599	0.01407	0.02054										0.4/6.1	Northeast-east	5/15/2012
5/9/2012	0.00625	0.01087	0.04148	0.01321										2.0/7.5	Northeast	5/9/2012
5/3/2012	0.10651	0.09622	0.49857	0.0037										4.4/10.2	South-Southeast	5/3/2012
4/27/2012	0.07161	0.17022	0.62686	0.00684	0.048	0.063	0.199	0.024	0.07	0.06	0.22	0.02	0.22	5.8/15.0	Southeast	4/27/2012
4/21/2012	0.00719	0.0031	0.00508	0.07879										1.1/7.0	North	4/21/2012
4/15/2012	0.08641	0.12689	0.32381	0.01206										2.3/14.5	South	4/15/2012
4/9/2012	0.06355	0.01038	0.02676	0.00803										1.8/7.4	East-southeast	4/9/2012
4/3/2012	0.00997	0.00406	0.01428	0.01457										4.1/10.4	Variable	4/3/2012
3/28/2012	0.0546	0.03969	0.41533	0.00608	0.106	0.050	0.252	0.008	0.07	0.06	0.19	0.02	0.19	2.9/6.6	South-Southeast	3/28/2012
3/22/2012	0.04496	0.03145	0.20995	0.01727										1.1/11.1	Variable	3/22/2012
3/16/2012	0.0421	0.09089	0.50504	0.00371										6.6/13.0	Southeast	3/16/2012
3/10/2012	0.00644	0.00688	0.03224	0.00597										1.8/8.9	East-northeast	3/10/2012
3/4/2012	0.3808	0.07952	0.09534	0.00482										0.5/9.8	Variable	3/4/2012
2/27/2012	0.02905	0.00586	0.07581	0.00773	0.060	0.055	0.195	0.018	0.05	0.05	0.13	0.03	0.13	2.9/9.9	East	2/27/2012
2/21/2012	0.11956	0.2025	0.33965	0.0133										0.7/13.0	Variable	2/21/2012
2/15/2012	0.08357	0.03318	0.05937	0.05089										0.9/9.7	Variable	2/15/2012
2/9/2012	0.03742	0.00806	0.23495	0.00935										2.3/6.9	East	2/9/2012
2/3/2012	0.03101	0.02539	0.26569	0.00937										4.7/10.6	Southeast	2/3/2012

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			
1/28/2012	0.00269	0.00432	0.02767	0.00477	0.055	0.073	0.112	0.028	0.05	0.07	0.13	0.05	0.13	1.2/8.7	North-northeast	1/28/2012
1/22/2012	0.18306	0.08667	0.09519	0.02967										6.8/15.1	Variable	1/22/2012
1/16/2012	0.01781	0.21904	0.20621	0.0073										9.3/14.9	South	1/16/2012
1/10/2012	0.00537	0.0054	0.00526	0.02392										1.4/9.8	North-northwest	1/10/2012
1/4/2012	0.06804	0.04932	0.22518	0.07455										0.9/8.1	Variable	1/4/2012
12/29/2011	0.10668	0.09857	0.30241	0.06529	0.033	0.025	0.086	0.040	0.06	0.06	0.14	0.08	0.14	0.3/8.4	South-Southeast	12/29/2011
12/23/2011	0.00203	0.00296	0.00286	0.01374										2.6/11.7	North	12/23/2011
12/17/2011	0.04407	0.00934	0.1099	0.10232										No data	No data	12/17/2011
12/11/2011	0.00804	0.00901	0.01127	0.00445										No data	No data	12/11/2011
12/5/2011	0.0031	0.00318	0.00452	0.01613										No data	No data	12/5/2011
11/29/2011	0.01939	0.00365	0.00395	0.19939	0.060	0.114	0.205	0.083	0.07	0.07	0.16	0.07	0.16	0.3/10.6	North	11/29/2011
11/23/2011	0.04056	0.02483	0.04905	0.10992										0.2/4.3	Variable	11/23/2011
11/17/2011	0.0253	0.00822	0.02708	0.09094	Collocated monitor installed at Eubanks									1.1/6.1	Variable	11/17/2011
11/11/2011	0.15586	0.52694	0.8271	0.00548										4.2/11.9	South	11/11/2011
11/5/2011	MM	0.0054	0.11847	0.00822										5.5/11.3	Southeast	11/5/2011
10/30/2011	MM	0.06483	0.15467	0.04187	0.093	0.044	0.142	0.120	0.13	0.10	0.20	0.05	0.20	0.1/10.4	Variable	10/30/2011
10/24/2011	PF	0.04514	0.04274	0.01819										0.4/7.8	Variable	10/24/2011
10/18/2011	0.01468	0.00723	0.00992	0.47546										5.5/15.4	Northwest	10/18/2011
10/12/2011	0.17108	0.08773	0.08223	0.05967										1.1/4.5	Southwest	10/12/2011
10/6/2011	MM	0.01302	0.42232	0.00709										4.9/10.5	Southeast	10/6/2011
9/30/2011	0.01006	0.01026	0.01556	0.014	0.070	0.060	0.137	0.020	0.16	0.14	0.28	0.01	0.28	3.2/11.0	Northeast	9/30/2011
9/24/2011	0.07719	0.11296	0.30477	0.00736										1.4/11.5	South	9/24/2011
9/18/2011	0.10046	0.12108	0.20081	PF										0.5/11.3	Variable	9/18/2011
9/12/2011	0.13669	0.0414	0.13449	0.01026										1.9/6.2	Variable	9/12/2011
9/6/2011	0.02534	0.01232	0.02847	0.04951										1.6/8.0	North-northeast	9/6/2011
8/31/2011	MM	0.19992	0.526	0.01183	0.232	0.182	0.333	0.007	0.19	0.19	0.44	0.01	0.44	3.1/10.8	South-Southeast	8/31/2011
8/25/2011	MM	0.18076	0.19744	0.00687										1.2/6.8	Variable	8/25/2011
8/19/2011	0.32963	0.28482	MM	MM										3.4/8.3	South-Southeast	8/19/2011
8/13/2011	PF	0.03385	PF	PF										0.2/5.6	Variable	8/13/2011
8/7/2011	0.08172	0.26476	0.30386	0.00034										4.0/8.8	South	8/7/2011
8/1/2011	0.28511	0.1294	0.30481	0.0082										0.5/5.7	Variable	8/1/2011

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction									
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date								
7/26/2011	0.0884	0.224	0.595	0.0108	0.187	0.192	0.361	0.007	0.13	0.14	0.46	0.02	0.46	2.5/7.7	Southeast	7/26/2011								
7/20/2011	0.0704	0.12	0.476	0.00984										3.0/6.9	South-Southeast	7/20/2011								
7/14/2011	0.4	0.104	0.318	0.00607										3.1/8.4	Variable	7/14/2011								
7/8/2011	0.28	0.485	0.212	0.00437										2.9/9.1	South	7/8/2011								
7/2/2011	0.0953	0.0285	0.203	0.00587										1.6/6.7	South-Southeast	7/2/2011								
6/26/2011	0.0608	0.142	0.602	0.00585										0.153	0.186	0.640	0.006	0.10	0.13	0.46	0.06	0.46	8.5/15.3	South
6/20/2011	0.0746	0.315	1.1	0.006	Meteorology station installed 6/9/11									2.3/18.1	South	6/20/2011								
6/14/2011	0.245	0.341	0.805	0.00595										3.7/12.4	South	6/14/2011								
6/8/2011	0.0934	0.0813	0.558	0.00595																				
6/2/2011	0.291	0.0499	0.136	0.00595																				
5/27/2011	0.0855	0.0449	0.377	0.0205										0.059	0.029	0.385	0.049	0.09	0.12	0.50	0.17	0.50		
5/21/2011	0.0379	0.0296	0.56	PF																				
5/15/2011	0.0047	0.00565	0.0354	0.0821																				
5/9/2011	0.107	0.057	0.886	0.006																				
5/3/2011	0.058	0.0055	0.0667	0.0885																				
4/27/2011	0.0447	0.104	0.0248	0.203										0.088	0.172	0.362	0.129	0.10	0.14	0.52	0.18	0.52		
4/21/2011	0.0331	0.0169	0.169	0.0059																				
4/19/2011	0.112	0.315	0.585	0.0357																				
4/15/2011	0.0342	0.0263	0.124	0.37																				
4/12/2011	0.111	0.0487	0.138	0.0783																				
4/9/2011	0.0916	0.066	0.841	0.0669																				
4/3/2011	0.186	0.627	0.651	0.144																				
3/28/2011	0.0813	0.121	0.209	1.07										0.111	0.152	0.755	0.335	0.11	0.11	0.49	0.15	0.49		
3/22/2011	0.115	0.356	0.85	0.0816																				
3/16/2011	0.182	0.0376	0.665	0.0317																				
3/10/2011	0.0286	0.0203	0.203	0.158																				
3/4/2011	0.15	0.224	1.85	PF																				
2/26/2011	0.0776	0.0916	0.289	0.0847										0.092	0.088	0.444	0.077	0.09	0.07	0.28	NA	0.28		
2/20/2011	0.0759	0.176	0.679	0.0438																				
2/14/2011	0.181	0.143	0.363	0.027																				
2/8/2011	0.102	0.0166	BW	0.0625																				

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)				
2/2/2011	0.0258	0.0103	PF	0.167													
1/27/2011	0.449	0.255	0.372	0.0363	0.140	0.088	0.258	0.042	0.09	0.06	0.27	NA	0.27				
1/21/2011	0.0321	0.0272	0.138	0.0579	The first valid sample from new Stonebrook monitor												
1/15/2011	0.0744	0.0328	0.0918	0.031													
1/9/2011	0.0115	0.0051	0.061														
1/3/2011	0.134	0.12	0.625														
12/28/2010	0.0175	0.0804	0.186		0.030	0.040	0.138		0.07	0.05	0.33		0.33				
12/22/2010	0.0129	0.012	0.0246														
12/16/2010	0.0156	0.0171	0.0815														
12/10/2010	0.0855	0.025	0.333														
12/4/2010	0.0162	0.0663	0.0634														
11/28/2010	0.0358	0.0156	0.304		0.105	0.063	0.422		0.10	0.08	0.68		0.68				
11/22/2010	0.0927	0.16	0.804														
11/16/2010	0.179	0.0226	0.106														
11/10/2010	0.202	0.112	0.796														
11/4/2010	0.015	0.00465	0.101														
10/29/2010	0.0657	0.0184	0.253		0.081	0.042	0.445		0.13	0.12	0.71		0.71				
10/23/2010	0.0458	0.0591	0.311														
10/17/2010	0.0717	0.1	0.707														
10/11/2010	0.107	0.0267	0.0623														
10/5/2010	0.117	0.00475	0.89								1.178						
9/29/2010	0.0193	0.00495	0.207		0.105	0.135	0.936		0.23	0.16	0.68		0.68				
9/23/2010	0.21	0.37	2.99														
9/17/2010	0.158	0.0316	0.338														
9/11/2010	0.0738	0.221	PF														
9/5/2010	0.0625	0.0461	MM														
8/30/2010	0.254	FD	MM		0.207	0.175	0.519		0.26	0.20	0.68		0.26				
8/24/2010	0.0962	FD	0.216														
8/18/2010	MM	0.0129	0.164														
8/12/2010	0.272	0.194	1.01														
8/6/2010	FD	0.317	0.686								0.620						

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
1/26/2010	0.0517	0.0588	0.328		0.134	0.079	0.342		0.13	0.09	0.44		0.13			
1/20/2010	0.428	0.244	0.522													
1/14/2010	0.0749	ID	0.725													
1/8/2010	0.0401	0.0046	0.0384													
1/2/2010	0.0759	0.0101	0.0952													
12/27/2009	0.062	0.007	0.121		0.055	0.052	0.487		0.10	0.07	0.38		0.10			
12/21/2009	0.172	0.234	2.16													
12/15/2009	0.016	0.007	0.055													
12/9/2009	0.015	0.006	0.014													
12/3/2009	0.01	0.004	0.083													
11/27/2009	0.615	0.465	0.011		0.198	0.153	0.480		0.12	0.09	0.27		0.12			
11/21/2009	0.045	0.1	0.736													
11/15/2009	0.08	0.146	1.06													
11/9/2009	0.082	0.017	MF													
11/3/2009	0.168	0.035	0.113													
10/28/2009	0.093	0.007	0.197		0.039	0.007	0.185		0.12	0.07	0.20		0.12			
10/22/2009	0.018	0.006	0.114													
10/16/2009	0.043	0.008	0.405													
10/10/2009	0.008	0.006	0.07													
10/4/2009	0.035	0.008	0.138													
9/28/2009	0.079	0.497	0.059		0.116	0.125	0.138		0.25	0.09	0.27		0.25			
9/22/2009	0.044	0.008	0.106													
9/16/2009	0.026	0.008	0.07													
9/10/2009	0.133	0.077	0.265													
9/4/2009	0.3	0.036	0.192													
8/29/2009	0.016	0.006	0.027		0.206	0.067	0.265		0.32	0.10	0.43		0.32			
8/23/2009	0.031	0.014	0.053													
8/17/2009	0.161	0.106	0.76													
8/11/2009	0.037	0.024	0.214													
8/5/2009	0.784	0.185	0.272													
7/30/2009	0.841	0.001	0.077		0.432	0.070	0.418		0.30	0.12	0.53		0.30			

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
6/28/2006	0.184	0.092	0.358		0.183	0.076	0.725		0.16	0.12	0.77		0.16			
6/22/2006	0.239	0.092	0.579													
6/16/2006	0.059	0.024	1.22													
6/10/2006	0.312	0.101	1.08													
6/4/2006	0.119	0.071	0.39													
5/29/2006	0.105	0.01	0.682		0.118	0.069	0.497									
5/23/2006	0.145	0.068	1.48													
5/17/2006	0.076	0.114	0.113													
5/11/2006	0.226	0.146	0.131													
5/5/2006	0.038	0.007	0.081													
4/29/2006	0.335	0.018	0.163		0.171	0.216	1.087									
4/23/2006	0.047	0.232	1.35													
4/17/2006	0.182	0.435	1.34													
4/11/2006	0.134	0.26	1.26													
4/5/2006	0.159	0.137	1.32													
3/30/2006	0.105	0.254	1.64		0.087	0.059	0.620		0.14	0.09	0.46		0.14			
3/24/2006	0.06	0.007	0.107													
3/18/2006	PF	0.006	0.061													
3/12/2006	0.028	0.006	0.839													
3/6/2006	0.154	0.024	0.454													
2/28/2006	0.199	0.25	1.21		0.130	0.113	0.427									
2/22/2006	0.014	0.011	0.052													
2/16/2006	0.381	0.267	0.334													
2/10/2006	0.036	0.03	0.245													
2/4/2006	0.02	0.007	0.296													
1/29/2006	0.375	0.046	0.149		0.215	0.111	0.337									
1/23/2006	0.049	0.034	0.08													
1/17/2006	0.187	0.309	0.2													
1/11/2006	0.189	0.146	1.2													
1/5/2006	0.276	0.018	0.056													
12/30/2005	0.317	0.064	0.46		0.795	0.097	0.461		0.36	0.22	0.70		0.36			

Lead Monitoring Data in City of Frisco

Sampling Date	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value (µg/m3)	Resultant Wind Speed Min/Max (mph)	General Wind Direction	Date
	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook				
12/24/2005	2.95	0.021	0.267													
12/18/2005	0.02	0.007	0.09													
12/12/2005	0.494	0.275	0.429													
12/6/2005	0.196	0.116	1.06													
11/30/2005	0.098	0.089	2.42		0.160	0.476	0.969									
11/24/2005	0.206	0.165	0.231													
11/18/2005	0.318	0.052	0.552													
11/12/2005	0.129	2.04	1.29													
11/6/2005	0.047	0.034	0.353													
10/31/2005	0.128	0.158	0.955		0.125	0.091	0.670									
10/25/2005	0.209	0.016	0.095													
10/19/2005	0.26	0.344	2.46													
10/13/2005	0.084	0.009	0.045													
10/7/2005	0.032	0.003	0.032													
10/1/2005	0.036	0.014	0.432													
9/25/2005	0.361	0.015	MF		0.302	0.100	0.612		0.23	0.10	0.46		0.23			
9/19/2005	0.542	0.251	0.983													
9/13/2005	0.316	0.218	1.08													
9/7/2005	0.228	0.007	0.251													
9/1/2005	0.065	0.011	0.132													
8/26/2005	0.298	0.117	0.428		0.266	0.148	0.350									
8/20/2005	0.274	0.302	0.457													
8/14/2005	0.364	0.135	0.389													
8/8/2005	STOL	0.067	0.192													
8/2/2005	0.128	0.117	0.282													
7/27/2005	0.016	0.009	0.02		0.130	0.064	0.408									
7/21/2005	0.432	0.185	0.707													
7/15/2005	PF	PF	0.034													
7/9/2005	0.035	0.004	0.01													
7/3/2005	0.037	0.056	1.27													
6/27/2005	0.427	0.229	0.765		0.294	0.089	0.643		0.27	0.10	0.56		0.27			

Lead Monitoring Data in City of Frisco

Sampling	Lead concentration per sampling date (µg/m3)				Lead concentration month avg (µg/m3)				Lead concentration 3 month avg (µg/m3)				Draft Design value	Resultant Wind Speed Min/Max (mph)	General Wind Direction	
Date	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	5th Street (Parkwood)	Frisco 7 (Ash St.)	Eubanks	Stonebrook	(µg/m3)			Date
11/22/2002	0.159	0.023	0.062													
11/16/2002	0.068	0.137	0.303													
11/10/2002	0.334	0.034	0.057													
11/4/2002	0.039	0.009	0.034													

- Non-ambient data, by legal definition.
- Data is not valid due to not meeting data completion criteria set by the EPA
- The top value is the month average value and the bottom value is with the adjusted value based on data completion test.
- Current nonattainment area highest design value
- Date from primary monitor is unavailable, data from a collocated monitor is being used as the daily value
- Analyte Identified; Reported Value outside of acceptance criteria.

BW	Bad weather
C/R	Construction/Repair in Area
FD	Filter damaged
ID	Insufficient data
LIT	Lost or damaged in transit
MM	Machine Malfunction
PF	Power Failure
SFROL	Sample flow rate out of limits
STOL	Sample time out of limits
TA	Technician unavailable

